



INDEPENDENT DECOMMISSIONING BODY

Section 7: BIDDING FORMS

FORM A: BID CONFIRMATION

Please acknowledge receipt of this ITB by completing this form and returning it by email to the address, and by the date specified, in the Letter of Invitation.

To: Insert name of contact person

Email: Insert contact person's email - do not enter secure bid email address

From: Insert name of bidder

Subject ITB reference Click or tap here to enter text.

Check the appropriate box	Description
<input type="checkbox"/>	YES , we intend to submit a bid.
<input type="checkbox"/>	NO . We are unable to submit a competitive offer for the requested goods/works/services at the moment

If you selected NO above, please state the reason(s) below:

Check applicable	Description
<input type="checkbox"/>	The requested goods/services are not within our range of supply
<input type="checkbox"/>	We are unable to submit a competitive offer for the requested products at the moment
<input type="checkbox"/>	The requested products are not available at the moment
<input type="checkbox"/>	We cannot meet the requested specifications
<input type="checkbox"/>	We cannot offer the requested type of packing
<input type="checkbox"/>	We can only offer FCA prices
<input type="checkbox"/>	The information provided for bidding purposes is insufficient
<input type="checkbox"/>	Your ITB is too complicated
<input type="checkbox"/>	Insufficient time is allowed to prepare a bid
<input type="checkbox"/>	We cannot meet the delivery requirements
<input type="checkbox"/>	We cannot adhere to your terms and conditions e.g., payment terms, request for performance security, etc. Please provide details below.
<input type="checkbox"/>	Sustainability criteria/requirements are too stringent (if applicable)
<input type="checkbox"/>	We do not export
<input type="checkbox"/>	Your volume is too small and does not meet our order quantity
<input type="checkbox"/>	Our production capacity is currently full
<input type="checkbox"/>	We are closed during the holiday season
<input type="checkbox"/>	We had to give priority to other clients' requests
<input type="checkbox"/>	We do not sell directly but through distributors
<input type="checkbox"/>	We have no after-sales service available
<input type="checkbox"/>	The person handling the bids is away from the office
<input type="checkbox"/>	Other (please provide reasons below):
Further information: Click or tap here to enter text.	
<input type="checkbox"/>	We would like to receive future ITBs for this type of goods
<input type="checkbox"/>	We don't want to receive ITBs for this type of goods

Questions to the bidder concerning the reasons for NO BID should be addressed to IDB phone Click or tap here to enter number., email Click or tap here to enter text..



INDEPENDENT DECOMMISSIONING BODY

FORM B: CHECKLIST

This form serves as a checklist for preparation of your bid. Please complete the returnable bidding forms in accordance with the instructions and return them as part of your bid submission: No alteration to the format of forms shall be permitted and no substitution shall be accepted.

Before submitting your bid, please ensure compliance with the instructions in Section 2: Instructions to Bidders and Section 3: Data Sheet.

Technical bid:

Have you duly completed all the returnable bidding forms?	
▪ Form C: Bid Submission	<input type="checkbox"/>
▪ Form D: Bidder Information	<input type="checkbox"/>
▪ Form E: Eligibility and Qualification	<input type="checkbox"/>
▪ Form F: Technical Specification	<input type="checkbox"/>
Have you provided the required documents to establish compliance with the evaluation criteria in Section 4?	<input type="checkbox"/>
Have you provided the required documents in support of Form D: Bidder Information?	<input type="checkbox"/>

Price Schedule:

▪ Form G: Price Schedule	<input type="checkbox"/>
--------------------------	--------------------------



INDEPENDENT DECOMMISSIONING BODY

FORM C: BID SUBMISSION

Name of bidder:	Click or tap here to enter text.	Date:	Click or tap to enter a date.
ITB reference:	Click or tap here to enter text.		

We, the undersigned, offer to supply the goods and related services required for IDB in accordance with your Invitation to Bid No. Click or tap here to enter text.. We hereby submit our bid, which includes this Technical Bid and Price Schedule.

The total price of our bid, excluding any discounts offered below is: Insert amount in words and figures, indicating amount(s) and respective currency(ies) (by lots if applicable) .

The discounts offered and the methodology of their application are:

- **Discounts:** If our bid is accepted, the following discounts shall apply Specify in detail each discount offered and the specific item of the Schedule of Requirement to which it applies, including if applicable discounts for accelerated payment.
- **Methodology of application of the discounts:** The discounts shall be applied using the following method: Specify in detail the method that shall be used to apply the discounts

BIDDER'S DECLARATION OF CONFORMITY¹

Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the Supplier, I hereby represent and warrant that neither the Supplier, nor any person having powers of representation, decision-making or control over it or any member of its administrative, management or supervisory body, has been the subject of a final judgement or final administrative decision for one of the following reasons: bankruptcy, insolvency or winding-up procedures; breach of obligations relating to the payment of taxes or social security contributions; grave professional misconduct, including misrepresentation, fraud; corruption; conduct related to a criminal organization; money laundering or terrorist financing; terrorist offenses or offences linked to terrorist activities; child labour and other trafficking in human beings, any discriminatory or exploitative practice, or any practice that is inconsistent with the rights set forth in the Convention on the Rights of the Child or other prohibited practices; irregularity; creating or being a shell company.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the Supplier, I further represent and warrant that the Supplier is financially sound and duly licensed.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the Supplier, I further represent and warrant that the Supplier has adequate human resources, equipment, competence, expertise and skills necessary to complete the contract fully and satisfactorily, within the stipulated completion period and in accordance with the relevant terms and conditions.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the Supplier, I further represent and warrant that the Supplier complies with all applicable laws, ordinances, rules and regulations.

¹ This form is mandatory to fill in and sign by every vendor who submits quotation



INDEPENDENT DECOMMISSIONING BODY

Yes	No	
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the Supplier, I further represent and warrant that the Supplier will in all circumstances act in the best interests of IDB.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the Supplier, I further represent and warrant that no official of IDB or any third party has received from, will be offered by, or will receive from the Supplier any direct or indirect benefit arising from the contract.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the Supplier, I further represent and warrant that the Supplier has not misrepresented or concealed any material facts during the contracting process.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the Supplier, I further represent and warrant that the Supplier will respect the legal status, privileges and immunities of IDB as an intergovernmental organization.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the Supplier, I further represent and warrant that, the Supplier will apply the highest ethical standards, the principles of efficiency and economy, equal opportunity, open competition and transparency, and will avoid any conflict of interest.
<input type="checkbox"/>	<input type="checkbox"/>	It is the responsibility of the Supplier to inform IDB immediately of any change to the information provided in this Declaration.
<input type="checkbox"/>	<input type="checkbox"/>	On behalf of the Supplier, I certify that I am duly authorized to sign this Declaration and on behalf of the Supplier I agree to abide by the terms of this Declaration for the duration of any contract entered into between the Supplier and IDB.
<input type="checkbox"/>	<input type="checkbox"/>	IDB reserves the right to terminate any contract between IDB and the Supplier, with immediate effect and without liability, in the event of any misrepresentation made by the Supplier in this Declaration.

Signature: _____

Name: Click or tap here to enter text.

Title: Click or tap here to enter text.

Date: Click or tap to enter a date.



INDEPENDENT DECOMMISSIONING BODY

FORM D: BIDDER INFORMATION

VENDOR REGISTRATION FORM

Company Name: _____

Address: _____

City/Zip Code: _____

Company's Phone Number: _____

Contact Name: _____ Title: _____

Email Address: _____ Contact No. _____

Company's Web Site (s): _____

Organization Type: Sole Owner _____ Corporation _____ Non-profit. _____

-----COMPANY BANK ACCOUNT INFORMATION-----

Bank Name: _____ Bank Account Number: _____

Account Name: _____

I, _____, in my capacity as _____

hereby authorize the IDB to direct payments for goods and services to the above account.

Signature: _____



INDEPENDENT DECOMMISSIONING BODY

FORM E: ELIGIBILITY AND QUALIFICATION FORM

Name of bidder:	Click or tap here to enter text.	Date:	Click or tap to enter a date.
ITB reference:	Click or tap here to enter text.		

HISTORY OF NON- PERFORMING CONTRACTS

<input type="checkbox"/> No non-performing contracts during the last 3 years			
<input type="checkbox"/> Contract(s) not performed in the last 3 years			
Year	Non- performed portion of contract	Contract Identification	Total Contract Amount
		Name of Client: Address of Client: Reason(s) for non-performance:	

LITIGATION HISTORY (including pending litigation)

<input type="checkbox"/> No litigation history for the last 3 years			
<input type="checkbox"/> Litigation History as indicated below			
Year of dispute	Amount in dispute	Contract Identification	Total Contract Amount
		Name of Client: Address of Client: Matter in dispute: Party who initiated the dispute: Status of dispute: Party awarded if resolved:	



INDEPENDENT DECOMMISSIONING BODY

PREVIOUS RELEVANT EXPERIENCE

Please list only previous similar assignments successfully completed in the last 3 years.

List only those assignments for which the bidder was legally contracted or sub-contracted by the Client as a company. Assignments completed by the bidder's individual experts working privately or through other firms cannot be claimed as the relevant experience of the bidder, or that of the bidder's partners or sub-consultants, but can be claimed by the Experts themselves in their CVs. The bidder should be prepared to substantiate the claimed experience by presenting copies of relevant documents and references if so requested.

Project name & Country of Assignment	Client & Reference Contact Details	Contract Value	Period of activity and status	Types of activities undertaken and role (Contractor, sub-contractor or consortium member)

Bidders may also attach their own Project Data Sheets with more details for assignments above.

FINANCIAL STANDING

Annual Turnover for the last 3 years	Year	Currency	Amount
	Year	Currency	Amount
	Year	Currency	Amount
Latest Credit Rating (if any), indicate the source and date.			



INDEPENDENT DECOMMISSIONING BODY

Financial information	Historic information for the last 3 years		
	Year 1	Year 2	Year 3
	<i>Information from Balance Sheet</i>		
Total Assets (TA)			
Total Liabilities (TL)			
Current Assets (CA)			
Current Liabilities (CL)			
	<i>Information from Income Statement</i>		
Total / Gross Revenue (TR)			
Profits Before Taxes (PBT)			
Net Profit			
Current Ratio (current assets/current liabilities)			

☐ Attached are copies of the audited financial statements (balance sheets, including all related notes, and income statements) for the years required above complying with the following condition:

- a) Must reflect the financial situation of the bidder or party to a JV, and not a sister or parent companies;
- b) Historic financial statements must be audited by a certified public accountant;
- c) Historic financial statements must correspond to accounting periods already completed and audited. No statements for partial periods shall be accepted.



INDEPENDENT DECOMMISSIONING BODY

Form F: TECHNICAL SPECIFICATIONS

Item	Specification	Statement of Compliance
		<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p>



INDEPENDENT DECOMMISSIONING BODY

TECHNICAL SPECIFICATION

Technical Specifications/Scope of Work	Yes	No	Remarks
<p>DECOMMISSIONED COMBATANT PRE- PRINTED ID (50%)</p> <ul style="list-style-type: none"> Glossy Finish Front and Back Made of 0.76mm PVC white regular material (30mil) / laminated Size: 85.6mm x 53.98mm rounded corners conforming to ANSI and ISO specifications Colors: Full color front and back with UV offset printing <p><i>Note: Design to be sent to the supplier</i></p>			
<p>VPT LAPTOP</p> <ul style="list-style-type: none"> Processor: AMD Ryzen™ 7 7730U (8C/16T, 2.0/4.5GHz, 4MB L2/16MB L3) Graphics: Integrated AMD Radeon™ Graphics Chipset: AMD SoC Platform Memory:16GB Soldered DDR4-3200 Memory Slots: Memory soldered to system board, no slots, dual-channel (12GB or 16 models) Max Memory:16GB soldered memory, not upgradable Storage:512GB SSD M.2 2242 PCIe®4.0x4NVMe® Storage Support: One drive, up to 1TB M.2 2242 SSD Storage Slot: One M.2 PCIe® 3.0x 4 Slot Card Reader: SD Card Reader Audio Chip: High Definition (HD) Audio Speakers user-facing stereo speakers, 1.5Wx2, optimized with Dolby Audio™ Camera: HD 720p with Privacy Shutter Microphone:2x, Array Battery: Integrated 47Wh Power Adapter: 65W Round Tip (3-pin) Display: 15.6" FHD (1920x1080) IPS 300nits Anti-glare Keyboard: Backlit, English Touchpad: Buttonless Mylar® surface multi-touch touchpad, supports Precision TouchPad (PTP) 69x104mm(2.72x4.09 inches) Case Color: Arctic Grey Surface Treatment: IMR (In-Mold Decoration by Roller) Case Material: PC-ABS (Top), PC-ABS(bottom) Dimensions (WxDxH): 359.3x235x17.9mm(14.5x9.25x0.70 inches) Operating system: Windows® 11 Home Single Language, English Bundled Software: Office Home & Student 2021 Ethernet: No Onboard Ethernet WLAN + Bluetooth: Wi-Fi® 6, 802.11ax 2x2 + BT5.2 			




<ul style="list-style-type: none"> Standard Ports: 2x USB 3.2 Gen 1 1x USB-C® 3.2 Gen 1 (Support data transfer, Power Delivery and DisplayPort™ 1.2) 1x HDMI® 1.4 1x Headphone/microphone combo jack (3.5mm) 1x Card reader 1x Power connector Security Chip: Firmware TPM 2.0 Enabled Fingerprint Reader: Touch Style, Integrated in Power Button Other Security: Camera privacy shutter Base Warranty: 1-year, Courier or Carry-in Included Upgrade: 3Y Premium Care- IPENTRY (ESS) Other Certifications: TUV Rheinland® Low Blue Light (Software Solution) <p>Mil-Spec Test: MIL-STD-810H military test passed (21 test items)</p>			
<p>EVOLIS PRINTER RIBBON KIT YMCKO</p> <ul style="list-style-type: none"> YMCKO Colored Ribbon 200prints/roll 			
<p>EVOLIS LAMINATOR PATCH</p> <ul style="list-style-type: none"> 0.05mil Clear Laminate Patch 600prints/roll 			
<p>EVOLIS TRANSPORT BELT</p> <ul style="list-style-type: none"> Part No.:S10091 			
<p>UTP CALBE</p> <ul style="list-style-type: none"> CAT6E 			
<p>RJ-45</p> <ul style="list-style-type: none"> Connector: RJ-45 Connector Type: Pass-through 			
<p>A4 CARD CASE</p> <ul style="list-style-type: none"> Size:A4 Card Case Orientation: Landscape 			
<p>PVC ID HOLDER (ZIP LOCK)</p> <ul style="list-style-type: none"> Material:Soft PVC ID Card Holder Vertical 62x91mm & Horizontal 95x58mm Two Side Clear 			
<p>UPS</p> <ul style="list-style-type: none"> Phase: Single Phase Form Factor: Tower UPS Toplogy: Line-interactive Energy Saving Technology: GreenPower UPS™ Bypass Technology Generator Compatibility: Yes Nominal Input Voltage (Vac): 230±10% 			



<ul style="list-style-type: none"> • Input Voltage Range (Vac):167~295 • Input Frequency (Hz): 50±5 60±5 • Rated input current (A):3.04 • Input connector type:IEC C14 • Detachable Power Cord Plug Type:Schukox1 • Power cord Length (ft.):5 • Power Cord Length (m.):1.5 • Capacity (VA):700 • Capacity (Watts):390 • On battery Waveform: Simulated sine wave • On Battery Voltage(s) (Vac):230±10% • On Battery Frequency (Hz): 50±1% 60±1% • Automatic Voltage Regulation (AVR): Single boost, Single Buck • Overload Protection: Circuit Breaker • Outlet(s) – total:4 • Outlet type:Schukox4 • Outlet(s) -Battery & Surge Protected:4 • Typical Transfer time (ms):4 • Runtime at Half Load (min):10 • Runtime at full Load (min):1 • Typical Recharge Time (hours):8 • Start On Battery:Yes • Battery Type: Sealed Lead-acid • Surge Suppression (Joules):450 • EMI/RFI Filtration:yes • Photo/Network Protection RJ11/RJ45 (combo):1-in,1-out • LCD Panel; Yes • LCD Information Display: Operation Type Power Status Battery Status Load Status Fault & Warning Other Information • LCD Setting & Control: Mode Setting Alarm Setting Input & Output Battery Setting Fault & Warning • LED Indicators: Power On • HID Compliant USB Port(s):1 • Audible Alarms: Battery Mode Low Battery OverLoad UPS Fault • Management Cable (pcs):USB Cable x1 • Ethernet Data Transmission Speed: Up to 16bps • Power Management Software: PowerPanel Personal (Recommended) • Enclosure Construction: Plastic • Color:Black 			
---	--	--	--



<ul style="list-style-type: none"> • Dimensions (WxHxD)(mm):100x227x260 • Weight (kg):5.14 • Certification:CE, EAC • RoHS:Yes 			
<p>ROUTER Access Control: Source/Destination IP Based Access Control Filtering: <ul style="list-style-type: none"> • WEB Group Filtrings • URL Filtering • Web Securitys ARP Inspection: <ul style="list-style-type: none"> • Sending GARP Packets • ARP Scannings • IP-MAC Binding Attack Defense: <ul style="list-style-type: none"> • TCP/IDP/ICMP Flood Defense • Block TCP Scan (Stealth FIN/Xmas/Null) • Block Ping from WAN Satandards and Protocols: <ul style="list-style-type: none"> • IEEE 802.3, IEE802.3u, IEEE802.3ab, IEEE802.3z, IEEE802.3x, IEEE802.1q • TCP/IP, DHCP, ICMP, NAT, PPPoE, NTP, HTTP, HTTPS, DNS, IPSec, PPTP, L2TP, OpenVPN, WireGuard VPN, GREN VPN, SNMP Interface: <ul style="list-style-type: none"> • 1 Gigabit SFP WAN/LAN Port • 1 Gigabit WAN Port • 4 Gigabit LAN/WAN Ports • 1 USB 3.0 Port (supports USB LTE dongle and USB storage) Network Media: <ul style="list-style-type: none"> • 10BASE-T: UTP category 3, 4, 5 cable (Max 100m) EIA/TIA-568 100Ω STP (Max 100m) • 100BASE-TX: UTP category 5, 5e cable (max 100m) EIA/TIA-568 100Ω STP (Max 100m) • 1000BASE-T:UTP category 5, 5e, 6 cable (Max 100m) Fan Quantity: Fanless Button: Reset Button Power Supply: 12v DC/1A Power Adapter Flash: 128 MB NAND DRAM:512 MB DDR4 LED: PWR, SYS, SFP, USB, WAN(1000M Link/Act, 100/10M Link/Act), WAN/LAN (1000M Link/ Act, 100/10M Link/Act) Dimensions (W × D × H): 8.9 × 5.2 × 1.4 in (226 × 131 × 35 mm) Protection: 4 kV surge protection Enclosure: Steel Mounting: Desktop/ Wall-Mounting Max Power Consumption <ul style="list-style-type: none"> • 7.5 W (with USB 3.0 connected) • W (without USB 3.0 connected) WireGuard VPN: 341.3 Mbps Concurrent Session: 150,000 New Sessions /Second: 5,300 NAT (Static IP): 945.3 Mbps / 940.5 Mbps NAT(DHCP): 939.6 Mbps / 940.9 Mbps NAT(PPPoE): 943.6 Mbps / 940.9 Mbps NAT (L2TP): 880.1 Mbps / 859.0 Mbps</p>			



<p>NAT (PPTP): 855.0 Mbps / 907.2 Mbps</p> <p>IPsec VPN Throughput:</p> <ul style="list-style-type: none"> • ESP-SHA1-AES256: 617.1 Mbps • ESP-SHA256-AES256: 592.8 Mbps • ESP-SHA384-AES256: 592.4 Mbps • ESP-SHA512-AES256: 604.5 Mbps <p>OpenVPN: 139.1 Mbps</p> <p>L2TP VPN Throughput:</p> <ul style="list-style-type: none"> • Unencrypted: 977.4 Mbps • Encrypted: 334.6 Mbps <p>PPTP VPN Throughput:</p> <ul style="list-style-type: none"> • Unencrypted: 1064.1 Mbps • Encrypted: 206.8 Mbps <p>SSL VPN Throughput: 131.6 Mbps</p> <p>66 Byte Packet forwarding rate: 1,453,489 pps / 1,453,488 pps</p> <p>1,518 Byte Packet forwarding rate: 81,279 pps / 81,275 pps</p> <p>WAN Connection Type:</p> <ul style="list-style-type: none"> • Static IP • Dynamic IP • PPPoE(supports MRU Configuration) • PPTP • L2TP <p>MAC Clone: Modify WAN/LAN MAC Address†</p> <p>DHCP:</p> <ul style="list-style-type: none"> • DHCP Server • DHCPv6 PD Server (only in Standalone Mode) • DHCP Options Customization • DHCP Address Reservation • Multi-IP Interfaces • Multi-Net DHCP <p>IPv6: StaticIP/SLAAC/DHCPv6/PPPoE/6to4Tunnel/PassThrough/Non-Address mode</p> <p>VLAN: 802.1Q VLAN</p> <p>IPTV: IGMP v2/v3 Proxy, Custom Mode, Bridge Mode</p> <p>ACL: IP/Port/Protocol/Domain Name Filtering</p> <p>Advanced Routing:</p> <ul style="list-style-type: none"> • Static Routing • Policy Routing • RIP§ • OSPF§ <p>Bandwidth Control: IP-based Bandwidth Control</p> <p>Load Balance:</p> <ul style="list-style-type: none"> • Intelligent Load Balance • Application Optimized Routing • Link Backup (Timing, Failover) • Online Detection <p>NAT:</p> <ul style="list-style-type: none"> • One-to-One NAT • Multi-Net NAT • Port Forwarding • Port Triggering§ • NAT-DMZ • FTP/H.323/SIP/IPSec/PPTP ALG • UPnP <p>Session Limit: IP-based Session Limit</p>			
---	--	--	--



<p>SSL VPN: 50 Tunnels</p> <p>IPsec VPN:</p> <ul style="list-style-type: none"> • 100 IPsec VPN Tunnels • LAN-to-LAN, Client-to-LAN • Main, Aggressive Negotiation Mode • DES, 3DES, AES128, AES192, AES256 Encryption Algorithm • IPsec Failover • IKE v1/v2 • MD5, SHA1, SHA2-384 and SHA2-512 Authentication Algorithm • NAT Traversal (NAT-T) • Dead Peer Detection (DPD) • Perfect Forward Secrecy (PFS) <p>PPTP VPN:</p> <ul style="list-style-type: none"> • PPTP VPN Server • PPTP VPN Client (10)‡ • 50 Tunnels • PPTP with MPPE Encryption <p>L2TP VPN:</p> <ul style="list-style-type: none"> • L2TP VPN Server • L2TP VPN Client (10)‡ • 50 Tunnels • L2TP over IPsec <p>OpenVPN:</p> <ul style="list-style-type: none"> • OpenVPN Server • OpenVPN Client (5)‡ • OpenVPN Tunnels • "Certificate + Account" Mode • Full Mode <p>Web Authentication:</p> <ul style="list-style-type: none"> • No Authentication • Simple Password* • Hotspot(Local User /Voucher*/ SMS*/Radius*) • External Radius Sever • External Portal Sever* • LDAP§ <p>Omada App: Yes</p> <p>Centralized Management:</p> <ul style="list-style-type: none"> • Omada Cloud-Based Controller • Omada Hardware Controller (OC300) • Omada Hardware Controller (OC200) • Omada Software Controller <p>Service: Dynamic DNS (Dyndns, No-IP, Peanuthull, Comexe, DDNS Customization)</p> <p>Maintenance:</p> <ul style="list-style-type: none"> • Web Management Interface • Remote Management • Export & Import Configuration • SNMP v1/v2c/v3 • Diagnostics (Ping & Traceroute)§ • NTP Synchronize§ • Port Mirroring • CLI (only in Standalone Mode) • Syslog Support <p>Management Features:</p> <ul style="list-style-type: none"> • Automatic Device Discovery • Intelligent Network Monitoring 			
--	--	--	--



<ul style="list-style-type: none"> • Abnormal Event Warnings • Unified Configuration • Reboot Schedule • Captive Portal Configuration <p>Certification: CE, FCC, RoHS</p>			
<p>WIRELESS ACCESS POINT</p> <p>Interface: 2 × Gigabit Ethernet (RJ-45) Port (One port supports IEEE802.3af PoE and Passive PoE)</p> <p>Physical Security Lock: Yes</p> <p>Button: Reset</p> <p>Power Supply:</p> <ul style="list-style-type: none"> • 802.3af/at PoE • 48V Passive PoE (+4,5pins; -7,8pins. PoE Adapter sold separately) <p>Power Consumption: 12.3 W</p> <p>Dimensions (W × D × H): 8.1 × 7.1 × 1.5 in (205.5 × 181.5 × 37.1 mm)</p> <p>Antenna Type:</p> <ul style="list-style-type: none"> • Internal Omni <ul style="list-style-type: none"> ○ 2.4 GHz: 3× 3.5 dBi ○ 5 GHz: 3× 4 dBi <p>Mounting: Ceiling/Wall Mounting (Kits included)</p> <p>Wireless Client Capacity: 220+**</p> <p>Wireless Standards: IEEE 802.11ac/n/g/b/a</p> <p>Frequency: 2.4GHz and 5GHz</p> <p>Signal Rate:</p> <ul style="list-style-type: none"> • 5 GHz:Up to 1300 Mbps • GHz:Up to 450 Mbps <p>Wireless Security:</p> <ul style="list-style-type: none"> • Captive Portal Authentication* • Access Control • Wireless Mac Address Filtering • Wireless Isolation Between Clients • SSID to VLAN Mapping • Rogue AP Detection • 802.1X Support • 64/128/152-bit WEP / WPA / WPA2-Enterprise, • WPA-PSK / WPA2-PSK <p>Transmission Power:</p> <ul style="list-style-type: none"> • CE: <ul style="list-style-type: none"> ○ ≤20 dBm (2.4GHz) ○ ≤23 dBm (5GHz) • FCC: <ul style="list-style-type: none"> ○ ≤24 dBm (2.4 GHz) ○ ≤24 dBm (5 GHz) <p>Omada App: Yes</p> <p>Centralized Management:</p>			



<ul style="list-style-type: none"> • Omada Cloud-Based Controller • Omada Hardware Controller (OC300) • Omada Hardware Controller (OC200) • Omada Software Controller <p>Cloud Access: Yes (Through OC300, OC200, Omada Cloud-Based Controller, or Omada Software Controller)</p> <p>Email Alerts: Yes</p> <p>LED ON/OFF Control: Yes</p> <p>Management MAC Access Control: Yes</p> <p>SNMP: v1, v2c</p> <p>System Logging Local/Remote Syslog: Local/Remote Syslog</p> <p>SSH: Yes</p> <p>Web-based Management: HTTP/HTTPS</p> <p>L3 Management: Yes</p> <p>Multi-site Management: Yes</p> <p>Management VLAN: Yes</p> <p>Certification: CE, FCC, RoHS</p>			
<p>WIRED MOUSE</p> <p>Sensor: Optical</p> <p>Report Rate: 125 Hz</p> <p>DPI: 800-1000-1200-1600</p> <p>Buttons: 4</p> <p>Backlit: White</p> <p>Style: Symmetric</p> <p>Voltage: 5V / 100mA</p> <p>Cable: 150 cm</p> <p>Plug: USB</p> <p>Includes: Mouse</p> <p>System: Windows 7 / 8 / 8.1 / 10 / 11</p>			
<p>LAMP CHARGER MICRO USB CABLE</p> <ul style="list-style-type: none"> • Led rechargeable desk lamp • Yellow and white led light low reflective design • Adjustable brightness level <p>Can be folded as a thin piece for easily storage</p>			
<p>EXTENSION WIRE</p> <ul style="list-style-type: none"> • 1.83 meter cord length <p>2500W 10A 250V</p>			
<p>FLASHLIGHT</p> <p>Length: 133 mm</p> <p>Weight: 103 g (Without Battery)</p> <p>Battery Rechargeable: Lithium Ion Battery Fenix ARB-L18-2600mAh</p> <ul style="list-style-type: none"> • 1500 Lumens maximum output • Maximum Candela: 22500 • Rechargeable C-Type USB Fast Charging • Charging Current - 2 amps Max. • Rechargeable Battery Included: Fenix ARB-L18-2600mAh Lithium Ion • 300m Beam Distance • Magnetic Base / Magnet at the Tail for Hands-Free usage • A6061-T6 Aluminium Alloy Body • HAIII Anodic Oxide Finish • Rugged, Reliable Tough Torch with IP68 Rating 			



<ul style="list-style-type: none"> • Intelligent Over Heat Protection • Intelligent Downshift • Single Switch Operation Button • Battery Level Indicator 			
<p>GLOVE</p> <ul style="list-style-type: none"> • Oil resistant • Stretchable • Rubber • Coated construction • High quality • Abrasion-resistant • Non slip • Nitrile butadiene-gloss coated gloves • Oil resistant • More breathable • Stretchable • Tear-resistant • Maintenance equipment • Machining motorcycles are available • High quality <p>Good and comfortable to use</p>			
<p>WD-40</p> <ul style="list-style-type: none"> • Degreaser <p>13.9oz</p>			
<p>GUN TUCKER</p> <ul style="list-style-type: none"> • GS approval • For fine wire staples 0.7mm • Staple leg length: 4-14mm (5/32"-9/16") • Quick jam release button • Impact power adjustment • Surface: Paint finish • With 500pcs 0.7x8mm crown staples • Packing: double blister • Size: 4-14mm (5/32"-9/16") 			
<p>SECURITY CABLE TIE (ZIP TIE)</p> <p>Color: Yellow</p> <p>Material: Plastic PP</p>			

Signature over Printed Name

[date of signing]

In the capacity of:

Duly authorized to sign bid for and on behalf of:

[title or other appropriate designation]

[Name of Company]

[Complete office address]

[Contact No.] [Email Address]



INDEPENDENT DECOMMISSIONING BODY

FORM G: PRICE SCHEDULE

Name of bidder:	Click or tap here to enter text.	Date:	Click or tap to enter a date.
ITB reference:	Click or tap here to enter text.		
Proposed catering service location:			

Bidders shall fill in these Price Schedule Forms in accordance with the instructions indicated.

Prices for related services

Procurement of ICT Equipment, Tools and Consumables in preparation for Phase 4 Decommissioning				
Approved budget for the Contract (ABC): Php {Php2,407,565.00}				
Items Description	UNIT	Quantity	Unit Cost	Total
Decommissioned Combatant Pre-Printed ID (50%)	pcs	14,500		
Laptop for Programmer and AFS Coordinator	unit	2		
VPT Laptop	unit	4		
Evolis Printer Ribbon Kit YMCKO	pcs	160		
Evolis Laminator Patch	pcs	50		
Evolis Laminator Belt	box	25		
UTP Cable	box	1		
RJ-45	pcs	6		
A4 Card Case	pcs	600		
PVC ID Holder (Zip Lock)	pcs	3,000		
Security Cable Seals	pcs	3,000		
UPS	pcs	20		
ROUTER	pcs	1		
Wireless Access Point	pcs	2		
Wired Mouse	pcs	30		
Lamp Charger Micro USB Cable	pcs	17		
Extension Wire	pcs	15		



INDEPENDENT DECOMMISSIONING BODY

Flashlight	pcs	3		
Glove	pcs	20		
WD-40	pcs	10		
Gun Tucker	set	4		
Cable Tie (zip tie)	pcs	10		
CAT5 E UTP CABLE	pack	1		
	Total Bid Amount in Words:			
	Total Bid Amount in Figures:Php			

I, the undersigned, certify that I am duly authorized by IDB to sign this bid and bind should IDB accept this bid:

Name : _____

Title : _____

Date : _____

Signature : _____